



GOVERNMENT OF ASSAM

STATE PROJECT MANAGEMENT UNIT, NEER NIRMAL PARIYOJANA-ASSAM

RWSSP-LIS, World Bank Project, 5th Floor, Redstone Building, G.S. Road, Dispur, Guwahati – 781022

Website: <https://phennp.assam.gov.in>

Phone No. 0361 – 2334345

Email ID: assam_worldbank@rediffmail.com

No. SPMU/PROC/DPMU EQUIP,ITEMS,SERV./225/2017-18/5676

Date: 14 September 2018

SPECIFIC PROCUREMENT NOTICE (PROCUREMENT OF GOODS)

INDIA

NEER NIRMAL PARIYOJANA

Credit No.: 5345 IN

Contract Title: Procurement of Furniture, Fixtures and Equipment for District Project Management Unit-Jorhat, Neer Nirmal Pariyojana-Assam


Reference No.: IN-SPMU-ASSAM-61947-GO-RFQ


Government of India has received a credit from the International Development Association equivalent to US\$500 billion towards the cost of the Rural Water Supply and Sanitation Project for Low Income States, now renamed as Neer Nirmal Pariyojana. The State Project Management Unit, Neer Nirmal Pariyojana-Assam (SPMU, NNP-Assam), an implementing agency, intends to apply a part of the proceeds of this credit to eligible payments under the contract for which this Invitation for Quotations is issued. The details of goods are as follows:

S. No.	Brief Description of the Goods	Specifications	Quantity in No.	Delivery Period	Place of Delivery	Installation Requirement if any
1	Office Almira	Size: 1981H x 916W x 486D (mm) Material: Steel Colour: As directed Equivalent Model: Godrej Storewel Plain	6	30 days from the date of issue of Supply Order	District Project Management Unit-Jorhat, Neer Nirmal Pariyojana, Assam, PHE Jorhat Division, Jorhat	Demonstration and installation are required.
2	Office Table	Size: Main Desk: 1200Wx600Dx750H, Side Unit: 900Wx450Dx750H (mm), Mobile Pedestal:390Wx 435Dx 529H (mm) Colour: As directed Equivalent Model: Godrej Office Table: Mayfair Main Desk+Side Unit+Mobile Pedestal	1			
3	Office Table with CPU Hanger	Size: 1500Wx750Dx728H (mm) Colour: As directed Equivalent Model: Godrej Office Table Enterprise 1500 with CPU Holder and Storage Space	3			
4	Revolving Chair-High Back	Size: 760Wx760Dx1015-1175H (mm), Seat Height: 469-559 (mm) Equivalent Model: Godrej Kareena High Back	1			
5	Revolving Chair-Mid Back	Size: W 760Wx760Dx890-1050H (mm), Seat Height: 469-559 (mm) Equivalent Model: Godrej Kareena Mid Back	3			
6	Chair without Arms	Size: 560Lx436Wx870H (mm) Plastic material	60			



S. No.	Brief Description of the Goods	Specifications	Quantity in No.	Delivery Period	Place of Delivery	Installation Requirement if any																								
		Colour: As directed Equivalent Model: Neelkamal CHR4025																												
7	Water purifier	Water Flow Rate: 3 Litre per min Power Rating: 35 watts Ultraviolet Lamp: 16 watt Rated Voltage: 230 V 50Hz Fuse: 250 mA (S) Net Weight: 6.5 kg Dimensions: 355x102.5x307 (mm) approx. LED indicators to indicate when powered on and water ready to flow out Four stage purification system UV lamp Auto shut-off of UV lamp R.O.: No	1																											
8	Air Conditioner	Panasonic/Blue Star/Carrier/Voltas or Equivalent Capacity: 1.0 Ton, Control console: Remote Control, Indoor Noise Level: Not more than 41db Installation type: Split, Display type: Digital LED display Stabilizer free operation 3 Star Energy Efficient with BIS mark 10 years warranty on compressor. Colour: As directed	2																											
9	Air Conditioner	Panasonic/Blue Star/Carrier/Voltas or Equivalent Capacity: 1.5 Ton, Control console: Remote Control, Indoor Noise Level: Not more than 41db Installation type: Split, Display type: Digital LED display Stabilizer free operation 3 Star Energy Efficient with BIS mark 10 years warranty on compressor. Colour: As directed	2																											
10	Photocopier	<table><tr><th>Print Specifications</th><th></th></tr><tr><td>Printing Method</td><td>Monochrome Laser Beam Printing</td></tr><tr><td>Print Speed A4</td><td>Up to 33ppm</td></tr><tr><td>Print Resolution</td><td>600 x 600dpi</td></tr><tr><td>Print Quality with Image Refinement Technology</td><td>1200 x 1200dpi (equivalent) 2400 (equivalent) x 600dpi</td></tr><tr><td>Print Language</td><td>UFR II, PCL 6, Adobe PostScript3</td></tr><tr><td>Auto Duplex Print</td><td>Standard</td></tr><tr><td>Available Paper Size for Auto Duplex Print</td><td>A4, Legal¹, Letter, Foolscap, Indian Legal</td></tr><tr><td>Print Margins</td><td>10mm - top, bottom, left, right (Envelope Size) 5mm - top, bottom, left, right (Other than Envelope Size)</td></tr><tr><td>Direct Print from USB</td><td>Supported File format: JPEG, TIFF, PDF</td></tr><tr><td>Print Features</td><td>Poster, Booklet, Watermark, Page Composer, Toner Saver</td></tr><tr><td>Copy</td><td></td></tr></table>	Print Specifications		Printing Method	Monochrome Laser Beam Printing	Print Speed A4	Up to 33ppm	Print Resolution	600 x 600dpi	Print Quality with Image Refinement Technology	1200 x 1200dpi (equivalent) 2400 (equivalent) x 600dpi	Print Language	UFR II, PCL 6, Adobe PostScript3	Auto Duplex Print	Standard	Available Paper Size for Auto Duplex Print	A4, Legal ¹ , Letter, Foolscap, Indian Legal	Print Margins	10mm - top, bottom, left, right (Envelope Size) 5mm - top, bottom, left, right (Other than Envelope Size)	Direct Print from USB	Supported File format: JPEG, TIFF, PDF	Print Features	Poster, Booklet, Watermark, Page Composer, Toner Saver	Copy		1			
Print Specifications																														
Printing Method	Monochrome Laser Beam Printing																													
Print Speed A4	Up to 33ppm																													
Print Resolution	600 x 600dpi																													
Print Quality with Image Refinement Technology	1200 x 1200dpi (equivalent) 2400 (equivalent) x 600dpi																													
Print Language	UFR II, PCL 6, Adobe PostScript3																													
Auto Duplex Print	Standard																													
Available Paper Size for Auto Duplex Print	A4, Legal ¹ , Letter, Foolscap, Indian Legal																													
Print Margins	10mm - top, bottom, left, right (Envelope Size) 5mm - top, bottom, left, right (Other than Envelope Size)																													
Direct Print from USB	Supported File format: JPEG, TIFF, PDF																													
Print Features	Poster, Booklet, Watermark, Page Composer, Toner Saver																													
Copy																														





S. No.	Brief Description of the Goods	Specifications		Quantity in No.	Delivery Period	Place of Delivery	Installation Requirement if any
		Specifications					
		Copy Speed A4	Up to 33ppm				
		Copy Resolution	Up to 600 x 600dpi				
		Maximum Number of Copies	Up to 999 copies				
		Reduce/Enlarge ment	25 - 400% in 1% increments				
		Copy Features	Frame Erase, Memory Sort, 2 on 1, 4 on 1, ID Card Copy				
		Scan Specifications					
		Scan Type	Color Contact Image Sensor				
		Scan Resolution	Optical: Up to 600 x 600dpi Driver Enhanced: Up to 9600 x 9600dpi				
		Scan Speed	Approx. 3 sec per sheet (Monochrome) Approx. 7 sec per sheet (Colour)				
		Color Depth	24-bit				
		Duplex Scan	Yes				
		Pull Scan	Yes, USB and Network				
		Push Scan (Scan To PC) with MF Scan Utility	Yes, USB and Network				
		Scan To USB (via USB Host)	Yes				
		Scan To Cloud	MF Scan Utility				
		Scan Driver Compatibility	TWAIN, WIA				
		SEND Specifications					
		SEND Method	SMB, E-mail, FTP, iFAX Simple				
		Colour Mode	Full Colour, Grayscale, Monochrome				
		Scan Resolution	300 x 300dpi, 200 x 200dpi				
		File Format	JPEG, TIFF, PDF, Compact PDF, PDF (OCR)				
		Paper Handling Specifications					
		Duplex Auto Document Feeder (ADF) (Based on 80g/m ²)	50 sheets				
		Available Paper Size for ADF	Maximum Legal				
		Paper Input (Based on Plain Paper 60-89g/m ²)	Standard Cassette	250 sheets			
			Multi-Purpose Tray	50 sheets			
			Optional Paper Feeder	500 sheets			
			Maximum Paper Capacity	800 sheets			
		Paper Output	150 sheets (face down), 1 sheet (face up)				
		Paper Sizes	Standard Cassette /	Maximum Legal			



S. No.	Brief Description of the Goods	Specifications			Quantity in No.	Delivery Period	Place of Delivery	Installation Requirement if any
			Optional Paper Feeder					
			Multi-Purpose Tray	Maximum Legal				
		Connectivity & Software						
		Standard Interfaces	Wired	USB Device 2.0 High-Speed, 10 / 100 / 1000 Base-T Ethernet (Network)				
			Wireless	Wi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup), Direct Connection				
		Network Protocol	Print: LPD, RAW, WSD-Print (IPv4, IPv6) Scan: Email, SMB, WSD-Scan (IPv4, IPv6) TCP / IP Application Services: Bonjour (mDNS), HTTP, HTTPS, POP before SMTP (IPv4, IPv6) DHCP, ARP + PING, Auto IP, WINS (IPv4), DHCPv6 (IPv6) Management: SNMPv1, SNMPv3 (IPv4, IPv6)					
		Network Security	Wired	IP / Mac address filtering, HTTPS, SNMPv3, IEEE802.1x				
			Wireless	WEP 64 / 128 bit, WPA-PSK (TKIP / AES), WPA2-PSK (AES)				
		One-Push Wireless Configuration	Wi-Fi Protected Setup (WPS)					
		Department ID	Yes, up to 300 IDs					
		Mobile Solutions	Canon PRINT Business, Apple® AirPrint™, Mopria® Print Service, Google Cloud Print™, Canon Print Service					
		Address Book	LDAP					
		Compatible Operating Systems	Windows® 10, Windows® 7, Windows® Vista					
		Software Included	Printer driver, Fax driver, Scanner driver, Network Scan Utility, MF Scan Utility, Presto! PageManager, Toner Status					
		General Specifications						
		Device Memory	1 GB					
Power Requirements	AC 220 - 240V (±10%), 50 / 60Hz (±2Hz)							

Bidding will be conducted through the Shopping procedures as specified in the World Bank's *Guidelines for Procurement of Goods, Works and Non-Consulting Services under IBRD Loans and IDA Credits & Grants*.

Grants by World Bank Borrowers, dated January 2011(Procurement Guidelines), and is open to all eligible bidders as defined in the Procurement Guidelines.

Interested eligible bidders may obtain further information from Dr. Nitish Das, Procurement Specialist, SPMU, NNP-Assam, e-mail: nitish.nnpassam@gmail.com and inspect the bidding documents during office hours *i.e.* 9.30 to 17.00 hours at the address given below.

A complete set of bidding documents in English may be obtained by interested eligible bidders upon the submission of a written application to the address below. The bidding documents can also be downloaded from the website: www.nnpshedassam.org.

Bids must be delivered to the address below on or before **15.00 hours on 28 September 2018**. Electronic bidding will not be permitted. Late bids will be rejected. Bids will be publicly opened in the presence of the bidders' designated representatives and anyone who choose to attend at the address below immediately after deadline for submission of bids.

The address(es) referred to above is(are):


Project Director
State Project Management Unit
Near Nirmal Pariyojana, Assam
5th Floor, Redstone Building, G.S. Road, Dispur, Guwahati – 781022
Tel: 0361 – 2334345
Web site: <https://phennp.assam.gov.in>

